

Weber Turkey Product List

we
care*

Tile Fixing



Tile Adhesives

group code	product name	description	packaging	color	technical data sheet
------------	--------------	-------------	-----------	-------	----------------------

Standart Tile Adhesives

weber.kol seraçim max	CIT class tile adhesive	kraft bag	25 kg 64 pcs./palette	grey	click for TDS
weber.kol FERMAFIX	CITE class tile adhesive	kraft bag	25 kg 64 pcs./palette	grey white	click for TDS

Improved Tile Adhesives

weber.kol serakol	Cement based tile adhesive mortar with improved water-resistance quality, reduced slip and extended open time.	kraft bag	25 kg 64 pcs./palette	grey white	click for TDS
weber.kol serakol konfor	Cement based dust free tile adhesive with reduced slip and extended open time.	kraft bag	25 kg 64 pcs./palette	grey white	click for TDS

High Performance Tile Adhesives

weber.kol flex porselen	High performance, cement based tile adhesive with reduced slip and extended open time for granite, porcelain ceramics and glazed porcelain.	kraft bag	25 kg 64 pcs./palette	grey white	click for TDS
weber.kol flex granit	Cement based flexible tile adhesive with reduced slip, extended open time and improved with additional qualities.	kraft bag	25 kg 64 pcs./palette	grey white	click for TDS
weber.kol flex extra	Polymer added, very flexible tile adhesive mortar with reduced slip, extended open time and improved with additional qualities.	kraft bag	25 kg 64 pcs./palette	grey white	click for TDS
weber.kol flex extra konfor	Low dust polymer added, very flexible tile adhesive mortar with reduced slip, extended open time and improved with additional qualities.	kraft bag	25 kg 64 pcs./palette	grey white	click for TDS

High Performance Tile Adhesives For Special Purposes

weber.kol rapid	Fast hardening cement based tile adhesive improved with additional properties.	kraft bag	25 kg 64 pcs./palette	grey	click for TDS
weber.kol fix	Acrylic emulsion based, high performance, ready to use tile adhesive.	plastic bucket	25 kg 5 kg	white	click for TDS

Joint (Tile Grouts)

group code	product name	description	packaging	color	technical data sheet
------------	--------------	-------------	-----------	-------	----------------------

Standart Grouts For Tiling

weber.joint DÇM	Cement based grout mortar.	kraft bag	20 kg 80 pcs/palette	white	click for TDS
				grey	
weber.joint DZR max	Cement-based colored grout mortar enhanced with special polymer additives, resistant to high abrasion, water repellent and improved application properties.	kraft bag	20 kg 80 pcs/palette	white	click for TDS
				1. group	
				2. group	
			10 kg 2 pcs./box 64 pcs/palette	white	
				1. group	
				2. group	

Improved Grouts For Tiling

weber.joint SiL	Cement based, silicone added, high performance colored grout mortar.	kraft bag	20 kg 80 pcs/palette	white	click for TDS
				1. group	
				2. group	
			10 kg 2 pcs./box 64 pcs/palette	white	
				1. group	
				2. group	
		plastic bag	5 kg 5 pcs./box 40 pcs/palette	white	
				1. group	
				2. group	
weber.joint flex	Cement based, polymer added, flexible high performance, water repellent colored grout mortar resistant to furgus, mould, algae.	kraft bag	20 kg 80 pcs/palette	white	click for TDS
				1. group	
				2. group	
			10 kg 2 pcs./box 64 pcs/palette	white	
weber.joint HR flex	Cement based, one-component, resistant to chemicals, fungus, mold and algae, flexible, high performance, grout mortar.	kraft bag	20 kg 80 pcs/palette	grey	click for TDS
				white	
				colored	
weber EP 800	Solvent-free, epoxy-based, two-component, grout and tile adhesive resistant to chemicals.	plastic bucket	5 kg	white	click for TDS
				grey	
weber EP easy	Solvent-free, epoxy based, two-component, high performance, resistant to chemicals and bacterias tile grout and tile adhesive with improved application features	plastic bucket	5 kg	white	click for TDS
				colored	

Joint (Tile Grouts)

Color Selection Table

Renkler			weber.joint DÇM	weber.joint DZR max	weber.joint SIL		weber.joint flex		weber.joint HR flex		weber EP easy	weber EP 800
			20 kg	20 kg, 10 kg	20 kg, 10 kg, 5 kg	2 kg	20 kg	10 kg	20 k	5 kg	5 kg, 2,5 kg	5 kg
beyaz 400		white	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
rustik beyaz 445		group 1		✓	✓		✓					
karya krem 441				✓	✓	✓	✓		✓		✓	
kum beji 442				✓	✓		✓		✓		✓	
bahama bej 436				✓	✓		✓		✓		✓	
inci krem 443				✓	✓		✓		✓			
kanyon kahve 449				✓	✓		✓					
bozdağ krem 409				✓	✓	✓	✓		✓			
fildişi 421				✓	✓		✓					
yörük bej 423				✓	✓	✓	✓					
sahra bej 422				✓	✓	✓	✓					
göreme bej 411				✓	✓	✓	✓					
sütlü kahve 438				✓	✓		✓					
palandöken kahve 412				✓	✓	✓	✓					
antik kahve 447				✓	✓		✓					
toprak kahve 431				✓	✓		✓					
marin 448				✓	✓		✓					
açık gri 437				✓	✓		✓					
gri 415			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
kül gri 439				✓	✓		✓		✓			
sis gri 434				✓	✓		✓					
granit gri 414				✓	✓	✓	✓		✓		✓	
acı kahve 433		group 2		✓	✓		✓					
antrasit 444				✓	✓		✓					
siyah 413				✓	✓	✓	✓					



Tiling Others

group code	product name	description	packaging	technical data sheet	
weber.prim TG 5		Acrylic dispersion based, one component adherence primer.	plastic bucket	5 kg (4,2 l)	click for TDS
				1 kg (0,85 l) 5 pcs./box	
weber.prim ADR		Acrylic dispersion based, one component adherence primer.	plastic bucket	3 kg (2 l)	click for TDS
weber.prim art		Satin primer.	plastic bucket	1 l	click for TDS
				15 l	
weber.prim 7X		Acrylic copolymer emulsion based, concentrated, transparent primer used to improve adherence and prevent dusting for interior and exterior substrates..	plastic can	2,5 l	click for TDS
				15 l	



Facade Applications



Facade Paints and Coatings

group code	product name	description	packaging	technical data sheet
------------	--------------	-------------	-----------	----------------------

Polymeric Decorative Renders

weber.tex plast sil	Acrylic emulsion-based, silicone added, ready to use colored plaster.	plastic bucket	25 kg	click for TDS
weber.tex beton design	Acrylic based, concrete textured, ready to use coloured coating for interior and exterior use.	plastic bucket	15 kg	click for TDS
weber.tex UV flex	Pure acrylic based, high UV resistant, crack bridging, fine textured, super elastic, semi-gloss façade coating.	plastic bucket	15 l	click for TDS
weber.tex RLX sil	Acrylic emulsion-based, silicone added, thin-textured facade coating	plastic bucket	25 kg	click for TDS
weber.tex GRN sil	Acrylic emulsion -based, silicone added, grained facade coating.	plastic bucket	25 kg	click for TDS

Decorative mineral renders

weber.min 100	Cement-based, fiber reinforced, 1 mm application thickness, thin-textured, decorative coating.	kraft bag	25 kg 64 pcs./palette	click for TDS
weber.min 150	Cement-based, fiber reinforced, 1,5 mm application thickness, medium-textured, decorative coating.	kraft bag	25 kg 64 pcs./palette	click for TDS
weber.min 200	Cement-based, fiber reinforced, 2 mm application thickness, decorative coating.	kraft bag	25 kg 64 pcs./palette	click for TDS
weber.min 220	Cement-based, fiber reinforced, 2 mm application thickness, decorative coating.	kraft bag	25 kg 64 pcs./palette	click for TDS
weber.min deko	Cement-based, fiber reinforced, 2 mm application thickness, decorative coating.	kraft bag	25 kg 64 pcs./palette	click for TDS
weber.min deko optima	Cement-based, fiber reinforced, 1,5 mm application thickness, medium-textured, decorative coating	kraft bag	25 kg 64 pcs./palette	click for TDS
weber.min LN	Cement-based, line textured, linear- patterned, 3 mm application thickness, decorative coating.	kraft bag	25 kg 64 pcs./palette	click for TDS
weber.min SP	Cement-based, line textured, circular-patterned, 3,5 mm application thickness, decorative coating.	kraft bag	25 kg 64 pcs./palette	click for TDS

Facade paints & primers

weber.tex UV star	Pure acrylic based, high UV resistant, semi-gloss facade paint.	plastic bucket	15 l	click for TDS
weber.tex UV matt	Pure acrylic based, high UV resistant, matt façade paint.	plastic bucket	15 l	click for TDS
weber SL Hydron	Silico-silicate based, highly stain resistant, matt facade paint.	plastic bucket	15 l	click for TDS
weber.tex SiL	Acrylic emulsion-based, silicone added, matt facade paint.	plastic bucket	15 l	click for TDS
weber.tex MULTICOLOR	Acrylic emulsion-based, silicone added, matt facade paint.	plastic bucket	7,5 l	click for TDS
			15 l	
weber.tex organic paste	Acrylic-based, ready-to-use, smoothing paste for facade	plastic bucket	25 kg	click for TDS
weber.tex wood star	Wood textured, pure acrylic based, high UV resistant, decorative paint.	plastic bucket	3 l	click for TDS
			0,55 l	
weber.prim UV	Acrylic emulsion based, UV resistant, facade primer with fillings.	plastic bucket	15 l	click for TDS
weber.prim C 100	Acrylic emulsion-based, facade primer with fillings	plastic bucket	15 l	click for TDS
weber.prim C 300	Silane / siloxane emulsion based, ready-to-use exterior primer that allows to strengthen and prepare old surfaces.	plastic bucket	15 l	click for TDS



External Wall Insulation Products and Systems

product name	description	packaging	technical data sheet
--------------	-------------	-----------	----------------------

ETICS Adhesive Mortars & Basecoat Renders

weber.therm A1 plus	Cement-based, polymer modified adhesive mortar for thermal insulation systems.	kraft bag	25 kg 64 pcs./palette	click for TDS
weber.therm YP	Cement-based, polymer modified adhesive mortar for thermal insulation board.	kraft bag	25 kg 64 pcs./palette	click for TDS
weber.therm B1 plus	Cement-based, polymer modified render for thermal insulation systems.	kraft bag	25 kg 64 pcs./palette	click for TDS
weber.therm SV	Cement-based, polymer modified render for thermal insulation board.	kraft bag	25 kg 64 pcs./palette	click for TDS
weber.dress B-Flex	Cement based, fiber added, high performance, elastic render for gypsum based exterior boards strengthened with fibers developed especially for exterior use.	kraft bag	25 kg 64 pcs./palette	click for TDS

Acrylic Based ETICS Adhesive & Render

weber.therm flex	Organic polymer-based thermal insulation panel adhesive and render.	plastic bucket	25 kg	click for TDS
-------------------------	---	----------------	-------	-------------------------------

Internal Wall Paints

product name	description	packaging		technical data sheet
weber.art soft matt	Acrylic emulsion based, high performance, silicone added, fully cleanability, silk matte interior paint.	plastic bucket	15 l	click for TDS
weber.art matt	Acrylic emulsion based, high performance, cleanability, matt interior paint.	plastic bucket	15 l	click for TDS
weber.art sil	Acrylic emulsion based, silicone added, slightly cleanability, matt interior paint.	plastic bucket	10 kg	click for TDS
			20 kg	
weber.art tavan	Acrylic, based, interior ceiling paint.	plastic bucket	3,5 kg	click for TDS
			10 kg	
			17,5 kg	
weber.prim art	Used as a primer under the synthetic and waterbased paints in interior walls of surfaces especially on highabsorbing and highporosity substrates to increase adherence and reduce final coat paint consumption. • Before tile fixing applications; used as a primer on high-absorbing surfaces to provide water and damp impermeability and to increase adherence. • It is applied as transition primer, especially if ceramic applications will be made on gypsum surfaces.	plastic bucket	1 l	click for TDS
			15 l	
weber.prim 7X	Acrylic copolymer emulsion based, concentrated, transparent primer used to improve adherence and prevent dusting for interior and exterior substrates.	plastic can	2,5 l	click for TDS
			15 l	



Technical Applications



Waterproofing

product name	description	packaging	color	technical data sheet
--------------	-------------	-----------	-------	----------------------

Cement based waterproofing products

weber.dry SS-7 easy	Polymer emulsion modified cement-based, two component, CMP class, semi-flexible waterproofing slurry.	kraft bag & plastic can	set (20+6 kg)	grey	click for TDS
weber.dry SS-8 extra	Polymer emulsion modified cement-based, two component, full flexible, CMOIP class waterproofing slurry.	kraft bag & plastic can	set (25+10 kg)	grey	click for TDS
weber.dry SS-10	Polymer emulsion modified cement-based, two component, full flexible, CMO2P class waterproofing slurry.	kraft bag & plastic can	set (20+10 kg)	grey	click for TDS
weber.dry UV coat	Polymer emulsion modified, cement based, two component, full flexible waterproofing slurry with improved resistance to UV and light pedestrian traffic.	kraft bag & plastic can	set (20+10 kg) 500 kg/pallet	white	click for TDS
weber.dry Ultraflex T25	Waterproofing slurry for applications requiring high performance and resistance to positive and negative water pressure.	kraft bag & plastic can	set (15+15 kg) 360 kg/pallet	grey	click for TDS
weber.tec Superflex D 2	Polymer emulsion modified, cement-based, twocomponent, highly flexible, UV resistant, weather independently fast setting waterproofing slurry, applicable against positive and negative water pressure.	plastic bucket	set (12+12 kg) 260 kg/pallet	grey	click for TDS
		kraft bag & plastic can	set (15+15 kg)	grey	
weber.dry DS	Cement based, single component, crystallized waterproofing slurry resistant to negative and positive water pressure, transferrable to capillary gaps of cement based substrates.	kraft bag	25 kg 1.600 kg/pallet	grey	click for TDS
weber.dry 2K CRS	Polymer emulsion modified, cement based, dual component, crystallized waterproofing slurry resistant to negative and positive water pressure, sulphate, chlorine and chemicals.	kraft bag & plastic can	set (25+12 kg)	grey	click for TDS
weber.dry rapid stop	Cement based, chloride-free plugging mortar with very fast setting feature.	plastic bucket	20 kg	grey	click for TDS
			5 kg		

Waterproofing

product name	description	packaging	color	technical data sheet
--------------	-------------	-----------	-------	----------------------

Elastomeric resin based waterproofing products

weber.dry SS-5	Elastomeric resin based, ready to use, UV resistant, DMP class, super-flexible waterproofing material.	plastic bucket	20 kg	white grey	click for TDS
			10 kg	white grey	
			3 kg	white grey	
weber.dry FDF plus	Elastomeric resin based, ready to use, UV resistant, DMOIP class, super-flexible waterproofing material.	plastic bucket	20 kg 600 kg/pallet	white grey scarlet green	click for TDS
			5 kg 500 kg/palet	white grey	

product name	description	packaging	color	technical data sheet
--------------	-------------	-----------	-------	----------------------

Bitumen based waterproofing products

weber.dry 706 plus	Polymer-bitumen modified, two-component, highly flexible, solvent-free waterproofing material.	plastic combi bucket	32 kg 576 kg/pallet	black	click for TDS
weber.dry 906	Polymer-bitumen modified, two-component, highly flexible, solvent-free waterproofing material.	plastic combi bucket	32 kg 576 kg/pallet	black	click for TDS
weber.dry bütüm 1K	Polymer-bitumen modified, water based, single component waterproofing material.	plastic bucket	20 kg	black	click for TDS
weber.tec 915	Polymer-bitumen modified, single component, highly flexible, thick waterproofing material.	plastic bucket	30 l 18 pcs/pallet	black	click for TDS
weber.tec 915 pulver	Powder setting accelerator component for weber.tec 915	kraft bag	2 kg 9 pcs/box	grey	
weber.tec 905	Bitumen based, UV resistant, fiber reinforced, solvent containing, liquid waterproofing material.	metal bucket	33 l 20 pcs/pallet	black	click for TDS

Waterproofing

product name	description	packaging	color	technical data sheet
--------------	-------------	-----------	-------	----------------------

Polyurethane based waterproofing products

weber.dry PUR seal	Polyurethan based, single component, UV resistant, super-flexible waterproofing product.	metal bucket	25 kg 900 kg/palette	white	click for TDS
				grey	
weber.dry PUR coat	Aliphatic polyurethane based, single component, ready-to-use, UV resistant, pedestrian traffic resistant, super flexible, decorative top coating and protection product.	metal bucket	10 kg	white	click for TDS
weber.dry PUR B2K	Bitumen-polyurethane based, double component, fastcuring, super-flexible waterproofing product.	metal bucket	set (20+20 l) 720 l/palette	black	click for TDS
weber.dry PUR seal 2K	Polyurethane based, dual component, solvent-free, hard flexible waterproofing product.	metal bucket	set (15+2,5 kg)	white	click for TDS

product name	description	packaging	color	technical data sheet
--------------	-------------	-----------	-------	----------------------

Polyurea based waterproofing products

weber.dry rapidcoat 500 P	Two component, solvent and VOC free, elastic, very fast curing pure polyurea membrane applied by high-pressure bi-mixer type heated pumps.	barrel	set (225+200 kg)	grey	click for TDS
weber.dry rapidcoat 250 H	Two component, solvent and VOC free, elastic, very fast curing hybrid polyurea membrane applied by high-pressure bi-mixer type heated pumps.	barrel	set (225+200 kg)	grey	click for TDS

Primers

weber.prim max	Ready to use, high adherence primer with alkali resistance and excellent binding features for using on high absorbent and dusting substrates.	plastic can	20 kg	light blue	click for TDS
weber.prim EP 2K	Water based, transparent, rigid, double component epoxy primer.	metal bucket	set (15+5 kg)	transparent	click for TDS
		metal bucket	set (3+1 kg)		
weber.prim 500 P	Epoxy based, two component, low viscosity, solvent-free, pure, transparent, deep penetrating substrate preparation primer.	metal bucket	set (10+5 kg)	transparent	click for TDS
weber.prim 500 F	Epoxy based, two component, low viscosity, solvent-free, filler added, deep penetrating substrate preparation primer.	metal bucket	set (15+5 kg)	transparent	click for TDS
weber.prim 500 HBF	Epoxy based, two component, low viscosity, solvent-free, humid-tolerant substrate preparation primer.	metal bucket	set (15+5 kg)	transparent	click for TDS



Waterproofing

product name	description	packaging	color	technical data sheet
--------------	-------------	-----------	-------	----------------------

Complementary products

webertec 944	Single component, polyurethane based injection and casting resin.	metal bucket	5 kg	yellow	click for TDS
weber empenye	Silico-silicate based, transparent water repellent material bringing water repellency feature on impregnated substrates.	IBC plastic bucket	1000 l	transparent	click for TDS
			20 l		
			5 l		
weber swell tape	Thermoplastic elastomer based sealing tape swells upon contact with water (5x20 mm)	box	40 m	red	click for TDS
weber.superflex A 200 / A 300	100% thermoplastic elastomer based, high performance waterproofing tape, specially for use on exterior movable joints subject to strong forces, wall and floor corners.	roll	20 m	grey	click for TDS
weber köşebant 100 / 120	Synthetic rubber based, polyester felt backed waterproofing tape for moving joints, wall and floor corners in wet areas.	roll	50 m	grey	click for TDS
			10 m		
weber geokeçe	Waterproofing fleece made of non-woven polyester fibers, improves durability of the waterproofing layer.	roll	150 m²	white	click for TDS



Repair, Leveling

product name	description	packaging	color	technical data sheet
--------------	-------------	-----------	-------	----------------------

Concrete Repair, Smoothing, Paste and Anchorage Products

weber.tec R	1-5 mm applicable, cement based, polymer modified, thin, concrete leveling mortar.	kraft bag	25 kg 1.600 kg/palette	grey	click for TDS
weber.tec RK	5-20 mm applicable, cement based, polymer modified, thick, concrete leveling mortar.	kraft bag	25 kg 1.600 kg/palette	grey	click for TDS
weber.tec dolgu	1-10 mm applicable, cement and powder polymer based, thick filler mortar.	kraft bag	25 kg 1.600 kg/palette	grey	click for TDS
				white	
weber.tec saten	1-3 mm applicable, white cement and powder polymer based, thin satin paste.	kraft bag	20 kg 1.600 kg/palette	white	click for TDS
weber.tec RM	Acrylic-based, mineral added, flexible smoothing paste designed for working with cement or gypsum.	plastic bucket	25 kg 1.600 kg/palette	white	click for TDS
weber.tec RM1	1-5 mm applicable, high-performance, thin repair and leveling mortar for concrete (R2 class).	kraft bag	25 kg 1.600 kg/palette	grey	click for TDS
weber.tec RM2	5-20 mm applicable, high-performance, thick repair and leveling mortar for concrete (R2 class).	kraft bag	25 kg 1.600 kg/palette	grey	click for TDS
weber.rep M352	Cement based, highly resistant, fibre added, thin and thick applicable structural repair mortar (R3 class).	kraft bag	25 kg 1.600 kg/palette	grey	click for TDS
weber.rep MA 200	5-40 mm applicable, cement based, high resistant, structural repair mortar (R3 class).	kraft bag	25 kg 1.600 kg/palette	grey	click for TDS
weber.rep HKS	5-40 mm applicable, cement based, high resistant, sulphate and chlorine resistant, fast setting structural repair mortar (R4 class).	kraft bag	25 kg 1.600 kg/palette	grey	click for TDS
weber.rep AD	Cement based, high performance, polymer modified anti-corrosive and bonding coating and primer	kraft bag	25 kg 1.600 kg/palette	grey	click for TDS
weber ankraj PE	Polyester based, two components, fast setting anchorage and fitting material.	cartridge	300 ml 12 pcs/box	grey	click for TDS
weber ankraj EA	Epoxy acrylate two-component, quick setting, thioxotropic anchorage and fitting material.	cartridge	300 ml 12 pcs/box	light grey	click for TDS
weber EP bond	Two component, solvent free epoxy resin based repair, anchorage and fitting mortar.	metal combi bucket	5 kg	light grey	click for TDS



Repair, Leveling

product name	description	packaging	color	technical data sheet
--------------	-------------	-----------	-------	----------------------

Grouting and Floor Repair Products

weber.rep grout	Cement based, high performance, high fluid, non- shrinking, and climates features resistant grout mortar.	kraft bag	25 kg 1600 kg/palette	grey	click for TDS
weber.rep grout rapid	Cement based, rapid setting, high fluid, non- shrinking, climates features resistant grout mortar.	kraft bag	25 kg 1600 kg/palette	grey	click for TDS
weber.rep EP grout	Epoxy based, 3 component, self levelling high adherent, flexural and compressive strength grout mortar.	plastic bucket	set (2 kg+1 kg+12,5 kg)	beige	click for TDS
weber.tec 793	Two component, solvent free, transparent epoxy resin with perfect adherence on concrete, screed and iron bar with high compressive and flexural strength values.	combi metal bucket	8 kg 640 kg/palet	transparent	click for TDS
weber.tec 793 3K	Solvent free, three-component epoxy based repair mortar weber.tec 793 3K adheres concrete, screed and iron bar perfectly and has high compressive, flexural and adherence values. It is resistant against thermal affects and abrasion.	combi metal bucket + plastic bucket	set (8 kg+32 kg)	beige	click for TDS

Sealants

product name	description	packaging	color	technical data sheet
--------------	-------------	-----------	-------	----------------------

Sealants

weber silikon	One component, ready to use, curing with humid, acetoxo based silicon sealant.	cartridge	310 ml	transparent	click for TDS
				white	
weber PU 2A	Polyurethane- based, one component, UV resistant, low modulus, joint filler and proofing sealant.	sausage	600 ml/20 sausage box	white	click for TDS
				grey	
		cartridge	300 ml/24 cartridge box	white	
				grey	
weber HP 3A	Hybrid polymer- based, free of solvent, odorless, environmentally friendly, very high elastic, one- component, UV resistant easy to apply joint sealant.	sausage	600 ml/20 sausage box	white	click for TDS
				grey	

Jobsite Products

product name	description	packaging	color	technical data sheet
--------------	-------------	-----------	-------	----------------------

Jobsite Products

weber easy work	Air entrainer and plasticiser mortar additive that improves workability of renders, screeds and similar mortars, ready to use in construction sites.	IBC	1.000 ml	brown	click for TDS
		plastic can	20 l 24 pcs/palette		
weber 20 extra	Water impermeable mortar additive that improves workability, resistance, application of renders, screeds and similar mortars that are ready to use in construction sites.	IBC	1.000 l	white	click for TDS
		plastic can	20 l 24 pcs/palette		
			5 l 80 pcs/palette		
weber latex	Special additive used to increase the adherence, water impermeability and flexibility of mortar and render	IBC	1.000 kg (1.000 l)	white	click for TDS
		plastic can	20 kg (20 l)		
			5 kg (5 l)		
weber antifreeze	Special additive without chloride, used for mortar and concrete production against cold and frost risk.	IBC	1.000 kg (980 l)	transparent	click for TDS
		plastic can	20 kg (19.60 l) 480 kg/palette		
weber KA 2000	Mineral oil based, mould release agent giving smooth and even surface to the concrete and releasing the mould from the fresh concrete easily.	barrel	210 l	yellow	click for TDS
		plastic can	30 l		
weber KA 1000	A mixture of high quality mineral oil and emulgators which can be diluted with water.	barrel	180 kg (210 l)	yellow	click for TDS
		plastic can	25 kg (30 l)		
weber kür A	weber kür A prevents fast evaporation of water mixture and so minimizes the risk of crack formation on the surface via forming a guarding water vapor impermeable film on the substrates during the concrete, screed and surface hardeners applications.	IBC	1.000 kg (1.000 l)	white	click for TDS
		plastic can	20 kg (20 l) 480 kg/palette		
weber.tec S130	Resin based, ready to use, liquid material increasing the surface strength of fresh and old concrete, cementitious screed, surface hardeners and plasters.	plastic can	20 l 24 pcs/palette	white	click for TDS
weber.prim BT-MAX	Polymer emulsion based concrete primer.	plastic bucket	25 kg / 750 kg palette	turquoise	click for TDS
			12 kg / 360 kg palette		



Jobsite Products

product name	description	packaging	color	technical data sheet
--------------	-------------	-----------	-------	----------------------

Sealants and foams

weber akrilik	Acrylic based, single component filling sealant.	cartridge	500 g 24 pcs/box	white	click for TDS
				grey	
weber silikonize akrilik	Silicone added, acrylic based, single component filling sealant.	cartridge	500 g 24 pcs/box	white	click for TDS
				grey	
weber silikon optima	General purpose silicone.	cartridge	280 g 24 pcs/box	transparent	click for TDS
				white	
weber silikon	General purpose, mould resistant silicone.	cartridge	280 ml 24 pcs/box	transparent	click for TDS
				white	
weber silikon banyo	Silicone for bathrooms and shower screens.	cartridge	280 ml 24 pcs/box	transparent	click for TDS
				white	
weber silikon nötr	Alcoxy based neutral silicone.	cartridge	280 ml 24 pcs/box	transparent	click for TDS
				white	
weber PU 2A	Polyurethane based, single component, UV resistant, low module joint sealant suitable for use sealing and bonding applications.	cartridge	280 ml 24 pcs/box	white	click for TDS
		sausage	600 ml 20 pcs/box	grey	
				black	
				roof red	
weber HP 3A	Hybrid polymer based, UV resistant, solvent-free, odorless, highly flexible with bonding feature, single component sealant.	sausage	600 ml 20 pcs/box	white	click for TDS
				grey	
weber foam	Polyurethane based, single component, moisture cured, multipurpose filling and insulation foam.	aerosol	600 g 16 pcs/box	yellow	click for TDS
			840 g 16 pcs/box		
weber foam FR	Polyurethane based, single component, fire resistant filling and insulation foam.	aerosol	840 g 16 pcs/box	orange	click for TDS



Jobsite Products

product name	description	packaging	color	technical data sheet
--------------	-------------	-----------	-------	----------------------

Cold applied sealants

weber PU flow 110	Polyurethane based, cold applied, self-levelling type sealant for horizontal joints.	metal bucket	set 12,5 kg	black	click for TDS
weber PU flow 111	Polyurethane based, cold applied, non-sagging type sealant for vertical joints.	metal bucket	set 12,5 kg	black	click for TDS
weber.prim PU	Silane based, single component substrate conditioner primer for general purpose.	metal bucket	set 2,5 kg	transparent	click for TDS
weber PS flow 210	Polysulfide based, cold applied, self-levelling type sealant for horizontal joints.	metal bucket	set 12,5 kg	grey	click for TDS
weber PS flow 211	Polysulfide based, cold applied, non-sagging type sealant for vertical joints.	metal bucket	set 12,5 kg	grey	click for TDS
weber.prim PS	Silane based, single component substrate conditioner primer for polysulfide joint sealants.	metal bucket	set 2,5 kg	transparent	click for TDS



Flooring



Flooring Coatings and Screeds

product name	description	packaging	color	technical data sheet
--------------	-------------	-----------	-------	----------------------

Self-levelling Screeds

weber.floor LVL 05 smart	Cement based, self-levelling screed with 1-5 mm of application range.	kraft bag	25 kg 64 pcs./pallet	grey	click for TDS
weber.floor LVL 10 premium	Cement based, self-levelling screed with 1-10 mm of application range.	kraft bag	25 kg 64 pcs./pallet	grey	click for TDS
weber.floor LVL 100 multi	Cement based, self-levelling, fiber added screed with 10-100 mm of application range.	kraft bag	25 kg 64 pcs./pallet	grey	click for TDS
weber.floor LVL combi	Calcium sulphate based, self-levelling screed with 2-60 mm of application range.	kraft bag	25 kg 64 pcs./pallet	grey	click for TDS
weber.floor 4032	Cement based, self-levelling, rapid setting screed with 1-10 mm of application range.	kraft bag	25 kg 42 pcs./pallet	grey	click for TDS

Industrial Floor Coatings

weber.floor 4610	4-15 mm of application range, cement based, polymer reinforced, ready to use, self-levelling, final coat flooring material.	kraft bag	25 kg 42 pcs./pallet	grey	click for TDS
weber.floor 4602	5-30 mm of application range, cement based, polymer reinforced, ready to use, self-levelling, floor coating material.	kraft bag	25 kg 42 pcs./pallet	grey	click for TDS
weber.floor 4655	4-15 mm of application range, cement based, polymer reinforced, ready to use, rapid setting, self-levelling screed.	kraft bag	25 kg 42 pcs./pallet	grey	click for TDS

Primers and Other Complementary Products

weber.floor ADR 510	Solvent-free, acrylic based dispersion adhesive developed for interior PVC and linoleum floor coverings.	plastic bucket	20 kg	grey	click for TDS
weber.prim FP-A	Ready to use, single component floor primer.	plastic can	20 l	white	click for TDS
		plastic can	5 l		
weber.floor 4716	Styrene/acrylate based, multi functional, concentrated floor primer.	plastic can	20 l	white	click for TDS
		plastic can	5 l		



Surface Hardeners

product name	description	packaging	color	technical data sheet
--------------	-------------	-----------	-------	----------------------

Surface Hardeners

weber.floor YS 1	Cement based surface hardener with silicium carbide aggregate.	kraft bag	25 kg 64 pcs./palette	grey	click for TDS
				red	
				green	
weber.floor YS 4	Cement based surface hardener with corundum aggregate.	kraft bag	25 kg 64 pcs./palette	grey	click for TDS
				red	
				green	
weber.floor YS 6	Cement based surface hardener with quartz aggregate.	kraft bag	25 kg 64 pcs./palette	grey	click for TDS
				red	
				green	





**SAINT-GOBAIN WEBER
YAPI KİM. SAN. VE TİC. A.Ş.**

Kemalpaşa OSB Mah.
Kuyucak Yolu Sokak
No: 284 35730

Kemalpaşa/İzmir/Türkiye
Phone: +90 (232) 397 07 00

GSM: +90 533 294 11 31

Fax: +90 (232) 397 08 00

e-mail: xeport@weber.com.tr

www.tr.weber