

according to 1907/2006/EC, Article 31

Printing date 05.05.2022

Version number 1

Revision: 16.12.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Trade name weberdress tek siva

Safety data sheet no.: XXP016607

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. **Application of the substance / the mixture** Ready-to-use mortar

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Saint-Gobain Weber Yapı Kim. San. ve Tic. A.S. Kemalpaşa OSB Mah. Kuyucak Yolu Sokak No:284 35730 Kemalpaşa / Izmir TURKEY Tel: +90 232 397 07 00 Fax: +90 232 397 08 00 1.4 Emergency telephone number:

Tel: +90 232 397 07 13-0784

Ulusal Zehir Danışma Merkezi (UZEM) : 114

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Danger

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Version number 1

Revision: 16.12.2021

Trade name weberdress tek siva

(Contd. of page 1) Hazard-determining components of labelling: cement portland, grey calcium dihydroxide milled blast furnace slag Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. **Precautionary statements** P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P310 Dispose of contents/container in accordance with local/regional/national/ P501 international regulations. 2.3 Other hazards The product contains white cement with a content of soluble chromium (VI) below 0.0002% (2ppm), it doesn't need a reducing agent Results of PBT and vPvB assessment PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:		
CAS: 1317-65-3 EINECS: 215-279-6	calcium carbonate substance with a Community workplace exposure limit	75-100%
CAS: 65997-15-1 EINECS: 266-043-4	 cement portland, grey ♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335, EUH203 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 1 % Eye Dam. 1; H318: C ≥ 1 % 	5-10%
CAS: 1305-62-0 EINECS: 215-137-3 Reg.nr.: 01-2119475151-45-xxx)	calcium dihydroxide Eye Dam. 1, H318; () Skin Irrit. 2, H315; STOT SE 3, H335	≥3-<5%
CAS: 65996-69-2 EINECS: 266-002-0 Reg.nr.: 2119487456-25-0005	milled blast furnace slag Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	2-5%
SVHC Void	(Cor	ntd. on page 3)

EUG



Printing date 05.05.2022

according to 1907/2006/EC, Article 31

Printing date 05.05.2022

Version number 1

Revision: 16.12.2021

Trade name weberdress tek siva

Additional information

The product contains white cement with a content of soluble chromium (VI) below 0.0002% (2 ppm). It doesn't need any chromate reducing agent.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact Immediately rinse with water.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents CO2, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Ensure adequate ventilation.

6.2 Environmental precautions: No special measures required.

6.3 Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

FUG



(Contd. of page 2)

according to 1907/2006/EC, Article 31

Printing date 05.05.2022

Version number 1

Revision: 16.12.2021

Trade name weberdress tek siva

(Contd. of page 3)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Thorough dedusting.

Keep receptacles tightly sealed.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

Store in cool, ary conditions in well sealed recep

Protect from humidity and water.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 1305-62-0 calc	
Inhalative Derived N	lo Effect Level 4 mg/m³ (worker local short term value)
	1 mg/m ³ (worker local long term value)
	1 mg/m ³ (consumer local long term value)
	4 mg/m ³ (consumer local short term value)
PNECs	
CAS: 1305-62-0 calc	ium dihydroxide
Predicted No-Effect C	Concentration 9.32 mg/l (sea water rating factor)
	0.49 mg/l (fresh water rating factor)
CAS No. Designat	tion of material % Type Value Unit
CAS: 1317-65-3 calc	ium carbonate
TWA (Italy)	Long-term value: 10 mg/m ³
	(e)
CAS: 65997-15-1 cer	
CAS: 65997-15-1 cer AGW (Germany)	
	Long-term value: 5 E mg/m ³



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2022

Version number 1

Revision: 16.12.2021

Trade name weberdress tek siva

*hengittyvä pöly, **alveolijae CAS: 1305-62-0 calcium dihydroxide OELV (European Union) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction AGW (Germany) Long-term value: 1E mg/m³ 2(1); Y, EU, DFG GV (Denmark) Long-term value: 5 1* mg/m³ Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, d TWA (Italy) Long-term value: 5 mg/m³ VL (Italy) Short-term value: 4 mg/m³ VLE (Portugal) Long-term value: 5 mg/m³ Irritação ocular, do TRS, cutânea OEL (Sweden) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Thritação ocular, do TRS, cutânea OEL (Sweden) Short-term value: 1 mg/m³ Cotal inhalable dust: 10 mg/m³ Long-term value: 1 mg/m³ Additional Occupational Exposure Limit Values for possible hazards during process Total inhalable dust: 10 mg/m³ Respirable dust (< 5 µm): 4 mg/m³ 3.2 Exposure controls Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures:	(Contd. of page 4	
HTP (Finland) Long-term value: 5* 1*** mg/m³ *hengittyvä pöly, **alveolijae CAS: 1305-62-0 calcium dihydroxide OELV (European Union) Short-term value: 1 mg/m³ Long-term value: 1 mg/m³ Respirable fraction AGW (Germany) Long-term value: 1 mg/m³ Z(I); Y, EU, DFG GV (Denmark) Long-term value: 5 1* mg/m³ LEP (Spain) Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, d TWA (Italy) Long-term value: 5 mg/m³ VL (Italy) Short-term value: 5 mg/m³ VL (Italy) Short-term value: 5 mg/m³ VLE (Portugal) Long-term value: 5 mg/m³ Long-term value: 1 mg/m³ Long-term value: 1 mg/m³ Tritação ocular, do TRS, cutânea DEL (Sweden) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Additional Occupational Exposure Limit Values for possible hazards during process Total inhalable dust: 10 mg/m³ Sac Exposure controls Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when han		
CAS: 1305-62-0 calcium dihydroxide OELV (European Union) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction AGW (Germany) Long-term value: 1 mg/m³ 2(1);Y, EU, DFG SV (Denmark) Long-term value: 5 1* mg/m³ LEP (Spain) Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, d Itong-term value: 4 mg/m³ TWA (Italy) Long-term value: 5 mg/m³ VL (Italy) Short-term value: 4 mg/m³ Long-term value: 1* mg/m³ "frazcione toracica VLE (Portugal) Long-term value: 5 mg/m³ Long-term value: 1 mg/m³ "frazione toracica VLE (Portugal) Long-term value: 1 mg/m³ Long-term value: 1 mg/m³ Long-term value: 4 mg/m³ Long-term value: 1 mg/m³ Long-term value: 1 mg/m³ Additional Occupational Exposure Limit Values for possible hazards during process Total inhalable dust: 10 mg/m³ Respirable dust (< 5 µm): 4 mg/m³		HTP (Finland) Long-terr
OELV (European Union) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction AGW (Germany) Long-term value: 1E mg/m³ 2(I);Y, EU, DFG GV (Denmark) Long-term value: 5 1* mg/m³ E; *respirabel fraktion LEP (Spain) Long-term value: 5 mg/m³ (fracción resp., VLI, d) TWA (Italy) Long-term value: 4* mg/m³ Long-term value: 5 mg/m³ VL (Italy) Short-term value: 4* mg/m³ Long-term value: 1* mg/m³ VLE (Portugal) Long-term value: 4 mg/m³ Long-term value: 1 mg/m³ VLE (Portugal) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ OEL (Sweden) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Additional Occupational Exposure Limit Values for possible hazards during process Total inhalable dust: 10 mg/m³ Respirable dust (< 5 µm): 4 mg/m³		
AGW (Germany) Long-term value: 1E mg/m³ 2(1); Y, EU, DFG GV (Denmark) Long-term value: 5 1* mg/m³ 2(1); Y, EU, DFG GV (Denmark) Long-term value: 5 1* mg/m³ E; "respirabel fraktion LEP (Spain) Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, d TWA (Italy) Long-term value: 5 mg/m³ VL (Italy) Short-term value: 1* mg/m³ Long-term value: 1* mg/m³ Long-term value: 5 mg/m³ Long-term value: 5 mg/m³ Long-term value: 5 mg/m³ Long-term value: 1 mg/m³ DEL (Sweden) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Additional Occupational Exposure Limit Values for possible hazards during process Total inhalable dust: 10 mg/m³ Respirable dust (< 5 µm): 4 mg/m³		_
2(I); Y. EU, DFG GV (Denmark) Long-term value: 5 1* mg/m³ E; *respirabel fraktion LEP (Spain) Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, d TWA (Italy) Long-term value: 5 mg/m³ VL (Italy) Short-term value: 1* mg/m³ Long-term value: 1* mg/m³ VL (Italy) Short-term value: 5 mg/m³ VLE (Portugal) Long-term value: 5 mg/m³ VLE (Portugal) Long-term value: 5 mg/m³ DEL (Sweden) Short-term value: 5 mg/m³ OEL (Sweden) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ HTP (Finland) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Additional Occupational Exposure Limit Values for possible hazards during process Total inhalable dust: 10 mg/m³ Respirable dust (< 5 µm): 4 mg/m³		
E; *řespirabel fraktionLEP (Spain)Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, dTWA (Italy)Long-term value: 5 mg/m³VL (Italy)Short-term value: 1* mg/m³ Long-term value: 1* mg/m³VL (Italy)Short-term value: 4* mg/m³ Long-term value: 1* mg/m³VLE (Portugal)Long-term value: 5 mg/m³ Irritação ocular, do TRS, cutâneaOEL (Sweden)Short-term value: 4 mg/m³ Long-term value: 1 mg/m³OTP (Finland)Short-term value: 4 mg/m³ Long-term value: 1 mg/m³Additional Occupational Exposure Limit Values for possible hazards during process Total inhalable dust: 10 mg/m³B.2 Exposure controls Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. mmediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Jse a moisturising skin cream after processing the product. Respiratory protection:		
fracción resp., VLI, d TWA (Italy) Long-term value: 5 mg/m³ VL (Italy) Short-term value: 4* mg/m³ Long-term value: 1* mg/m³ *frazione toracica VLE (Portugal) Long-term value: 5 mg/m³ Irritação ocular, do TRS, cutânea DEL (Sweden) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ HTP (Finland) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Additional Occupational Exposure Limit Values for possible hazards during process Total inhalable dust: 10 mg/m³ Respirable dust (< 5 µm): 4 mg/m³		
VL (Italy) Short-term value: 4* mg/m³ Long-term value: 1* mg/m³ *frazione toracica VLE (Portugal) Long-term value: 5 mg/m³ Irritação ocular, do TRS, cutânea DEL (Sweden) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ TP (Finland) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Additional Occupational Exposure Limit Values for possible hazards during process Total inhalable dust: 10 mg/m³ Respirable dust (< 5 µm): 4 mg/m³		
Long-term value: 1* mg/m³ *frazione toracica VLE (Portugal) Long-term value: 5 mg/m³ Irritação ocular, do TRS, cutânea DEL (Sweden) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ HTP (Finland) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Additional Occupational Exposure Limit Values for possible hazards during process Total inhalable dust: 10 mg/m³ Respirable dust (< 5 µm): 4 mg/m³		
Irritação ocular, do TRS, cutânea DEL (Sweden) Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ ATP (Finland) Short-term value: 4 mg/m³ Additional Occupational Exposure Limit Values for possible hazards during process Total inhalable dust: 10 mg/m³ Respirable dust (< 5 µm): 4 mg/m³		Long-terr
HTP (Finland)Long-term value: 1 mg/m³ Short-term value: 4 mg/m³ Long-term value: 1 mg/m³Additional Occupational Exposure Limit Values for possible hazards during process Total inhalable dust: 10 mg/m³ Respirable dust (< 5 μm): 4 mg/m³B.2 Exposure controls Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. mmediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the skin. Jse a moisturising skin cream after processing the product. Respiratory protection:Long-term value: 1 mg/m³ mg/m³ Bazards during processing the product.		
Long-term value: 1 mg/m³ Additional Occupational Exposure Limit Values for possible hazards during process Total inhalable dust: 10 mg/m³ Respirable dust (< 5 µm): 4 mg/m³		
Total inhalable dust: 10 mg/m ³ Respirable dust (< 5 μm): 4 mg/m ³ 3.2 Exposure controls Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. mmediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin. Jse a moisturising skin cream after processing the product. Respiratory protection:		
Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin. Jse a moisturising skin cream after processing the product. Respiratory protection:	cessing:	Additional Occupational Exposur Total inhalable dust: 10 mg/m³ Respirable dust (< 5 μm): 4 mg/m³
Filter P2. Hand protection Protective gloves. Eye/face protection Tightly sealed goggles Body protection: Protective work clothing.		Appropriate engineering controls Individual protection measures, s General protective and hygienic in The usual precautionary measures Keep away from foodstuffs, beverag Immediately remove all soiled and of Wash hands before breaks and at the Avoid contact with the skin. Avoid contact with the skin. Avoid contact with the eyes and skin Use a moisturising skin cream after Respiratory protection: Short term filter device: Filter P2. Hand protection Protective gloves Eye/face protection Tightly sealed





according to 1907/2006/EC, Article 31

Printing date 05.05.2022

Version number 1

Revision: 16.12.2021

Trade name weberdress tek siva

(Contd. of page 5) **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties **General Information Physical state** Solid. Colour: White Odour: Odourless **Odour threshold:** Not determined. Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range Not applicable Flammability Product is not flammable. Lower and upper explosion limit Lower: Not applicable Upper: Not applicable Flash point: Not applicable Ignition temperature: 60 °C (DIN 51794) **Decomposition temperature:** Not determined. Not applicable. pН Viscosity: **Kinematic viscosity** Not applicable. dynamic: Not applicable. Solubility Water: Soluble Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: Not applicable. Density and/or relative density **Density:** Not applicable. Not determined **Relative density** Not determined. Vapour density Not applicable. **Particle characteristics** See item 3. 9.2 Other information None. Appearance: Form: Powder Important information on protection of health and environment, and on safety. Auto-ignition temperature: Product is not selfigniting. **Explosive properties:** Product does not present an explosion hazard. EU-VOC (g/L) Solids content: 100.0 % Change in condition Softening point/range **Oxidising properties** Not determined. **Evaporation rate** Not applicable. Information with regard to physical hazard classes **Explosives** Void (Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 05.05.2022

Version number 1

Revision: 16.12.2021

Trade name weberdress tek siva

		(Contd. of page 6)
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. **LD/LC50 values relevant for classification:**

Compo	nents	Туре	Value	Species
CAS: 13	317 - 65	-3 calcium carbonate		
Oral	LD50	>5,000 mg/kg (Rat)		
CAS: 65	5997-1	5-1 cement portland, grey		
Dermal	LD50	>2,000 mg/kg (Rabbit)		
CAS: 13	305-62·	0 calcium dihydroxide		
Oral	LD50	>2,000 mg/kg (Rat)		
Dermal	LD50	>2,500 mg/kg (Rabbit)		
Skin co	rrosio	n/irritation Causes skin irrit	ation.	
		amage/irritation Causes se		
Respira	tory o	r skin sensitisation May ca	ause an all	lergic skin reaction.



(Contd. on page 8)

according to 1907/2006/EC, Article 31

Printing date 05.05.2022

Version number 1

Revision: 16.12.2021

Trade name weberdress tek siva

(Contd. of page 7)

Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Aquatic toxi	City: Not classified as harmful to aquatic life
Type of test	Effective concentration Method Assessment
CAS: 1317-6	5-3 calcium carbonate
LC50/96h	>10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))
EC50/48h	>1,000 mg/l (Daphnia magna)
EC50/72h	>200 mg/l (Algae)
CAS: 1305-6	2-0 calcium dihydroxide
LC50/96h	158 mg/l (Daphnia magna)
	>50.6 mg/l (Fish)
EC50/48h	49.1 mg/l (Daphnia magna)
EC50/72h	184.57 mg/l (Algae)
NOEC (14d)	32 mg/l (Daphnia magna)
12.5 Results PBT: Does n vPvB: Does 12.6 Endocr The product of 12.7 Other a Remark: The product of	y in soil No further relevant information available. of PBT and vPvB assessment ot contain PBT substances. not contain vPvB substances. ine disrupting properties does not contain substances with endocrine disrupting properties. dverse effects contains substances which causes severe clouding in water contains substances which cause a local pH change and thus have a detrimental effect on eria.
Behaviour ir	n sewage processing plants:
Type of test	Effective concentration Method Assessment
CAS: 1305-6	2-0 calcium dihydroxide
EC 50 (3h) 3	300.4 mg/l (Activated sludge)
Remark: The	e product causes a significant pH change. Neutralise before introduction.

(Contd. on page 9)

according to 1907/2006/EC, Article 31

Printing date 05.05.2022

Version number 1

Revision: 16.12.2021

Trade name weberdress tek siva

(Contd. of page 8)

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Dispose of the product in accordance with national and local regulations.

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

Europea	n waste	cata	ogue
10 10 11	weater	frame	

10 13 11 wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10

10 13 14 waste concrete and concrete sludge

HP4 Irritant - skin irritation and eye damage

HP13 Sensitising

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleaning agent:

Water, if necessary together with cleansing agents.

Thoroughly shake out sacks.

SECTION 14: Transport information

14.1 UN number or ID number ADR, IMDG, IATA	Void
14.2 UN proper shipping name ADR, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordin IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications
	(Contd. on page



according to 1907/2006/EC, Article 31

Printing date 05.05.2022

Version number 1

Void

Revision: 16.12.2021

Trade name weberdress tek siva

UN "Model Regulation":

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Under the conditions of conservation, the reducing agent used keeps the content of soluble chromium (VI) below 2 ppm until the expiration date indicated.

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Named dangerous substances - ANNEX I None of the ingredients is listed.

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

(Contd. on page 11)





(Contd. of page 9)

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2022

Version number 1

Revision: 16.12.2021

EUF	(Contd. of page H203 Contains chromium (VI). May produce an allergic reaction.
Den	partment issuing SDS: Research and development
-	ntact:
	Saraçoğlu
	rtificate No:TÜV/01.260.01 - Validity date 24.12.2023)
(00)	
Barı	ış Yıldırım
(Cei	rtificate No: TÜV/01.275.01 - Validity date 25.03.2024)
Ses	il Genç
	rtificate No: TÜV/01.311.11 – Validity date 04.11.2024)
	previations and acronyms:
RID:	Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning
Interr	national Transport of Dangerous Goods by Rail)
	: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning national Carriage of Dangerous Goods by Road)
	G: International Maritime Code for Dangerous Goods
IATA	: International Air Transport Association
	-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
	D: International Civil Aviation Organisation :: Globally Harmonised System of Classification and Labelling of Chemicals
	ECS: European Inventory of Existing Commercial Chemical Substances
ELIN	ICS: European List of Notified Chemical Substances
	: Chemical Abstracts Service (division of the American Chemical Society)
	L: Derived No-Effect Level (REACH) C: Predicted No-Effect Concentration (REACH)
): Lethal concentration, 50 percent
): Lethal dose, 50 percent
PBT:	Persistent, Bioaccumulative and Toxic
	C: Substances of Very High Concern (REACH regulation)
	: very Persistent and very Bioaccumulative Irrit. 2: Skin corrosion/irritation – Category 2
	Dam. 1: Serious eye damage/eye irritation – Category 1
	Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin	Sens. 1: Skin sensitisation – Category 1
	T SE 3: Specific target organ toxicity (single exposure) – Category 3
	ata compared to the previous version altered.
	ording to Annex II of the REACH regulation, the modified sections in this version of the Safe
Data	a Sheet in comparison with the previous one are marked with asterisks.



Trade name weberdress tek siva



This document was created with the Win2PDF "print to PDF" printer available at http://www.win2pdf.com

This version of Win2PDF 10 is for evaluation and non-commercial use only.

This page will not be added after purchasing Win2PDF.

http://www.win2pdf.com/purchase/