

■ Technical specifications

| | |
|----------------------------|--|
| Product Name | webertex UV star |
| Product Type | liquid (density ~1,34 gr/cm ³) |
| Drying time | 6-24 hours |
| Finishes/Colors | 400 renk |
| Glossiness | G2 |
| Dry Film Thickness | E2 |
| Grain Size | S1 |
| Water vapour transmission | V2 |
| Water Transfer Rate | W3 |
| Carbondioxyde Permeability | C0 |

■ Storage

| | |
|------------|--|
| Packaging | 15 lt buckets |
| Shelf life | <ul style="list-style-type: none">• 1 year from the production date• in dry and cool ambient. Package should be kept tightly closed when not in use. Package should be protected against frost. |

■ Safety Warning

• Use the appropriate safety equipment (dust mask, gloves). • Protect your Eyes / face. • Avoid contact with eyes and skin. • In case of contact with eyes, rinse immediately with plenty of water and consult a specialist. • Read the Material Safety Data Sheet for more detailed safety information

DISCLAIMER

Since there are different conditions and requirements that apply in any case, Saint-Gobain Weber Yapı Kimyasalları San. ve Tic. A.Ş. can not be liable for other than the information provided in this product datasheet. The information provided in this product data sheet is based on our current knowledge and experience about the product. All of the above information must be considered as guidelines. It is the user's responsibility to ensure that the product is suitable for the intended use, and also to perform acceptance check and self-inspection control. The user is responsible if the product is used for purposes other than recommended or for improper installation.

FOR INFO

The stated times apply for 20°C substrate and ambient temperature; increase at lower temperatures and decrease at higher temperatures. Saint-Gobain Weber Yapı Kim. San. ve Tic. A.Ş. is not responsible for the application errors arising from use of product beyond its intended purpose of failure to comply with the forgoing application conditions and advice on the product.