

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.05.2024

Version number 1

Revision: 22.12.2021

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name: **weberprim BT-MAX**

Safety data sheet no.: XXP016677

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture** Polymer emulsion based concrete primer

**Uses advised against** Water impermeable mortar additive

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

Saint-Gobain Weber Yapı Kim. San. ve Tic. A.S.  
Kemalpaşa OSB Mah. Kuyucak Yolu Sokak No:284  
35730 Kemalpaşa / Izmir  
TURKEY

Tel: +90 232 397 07 00

Fax: +90 232 397 08 00

**1.4 Emergency telephone number:**

Tel: +90 232 397 07 13-07 84

National Poison Information Center (UZEM): 114

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

**2.2 Label elements**

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**



**Signal word** Warning

**Hazard-determining components of labelling:**

reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

**Hazard statements**

H317 May cause an allergic skin reaction.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

(Contd. on page 2)

EUG

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.05.2024

Version number 1

Revision: 22.12.2021

Trade name: weberprim BT-MAX

(Contd. of page 1)

P102 Keep out of reach of children.  
 P103 Read carefully and follow all instructions.  
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P280 Wear protective gloves.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P321 Specific treatment (see on this label).  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** Does not contain PBT substances.**vPvB:** Does not contain vPvB substances.

### SECTION 3: Composition/information on ingredients

**3.2 Mixtures****Description:** Mixture of substances listed below with non hazardous additions.**Dangerous components:**

CAS: 1317-65-3 EINECS: 215-279-6 Reg.nr.: 01-2119486795-18-xxxx	calcium carbonate substance with a Community workplace exposure limit	25-50%
CAS: 107-21-1 EINECS: 203-473-3 Index number: 603-027-00-1 Reg.nr.: 01-2119456816-28-xxxx	ethane-1,2-diol ☠ STOT RE 2, H373; ⚠ Acute Tox. 4, H302	0.1-1%
CAS: 1336-21-6 EINECS: 215-647-6 Index number: 007-001-01-2	ammonia, aqueous solution ⚠ Skin Corr. 1B, H314; ⚠ Aquatic Acute 1, H400 (M=1); ⚠ STOT SE 3, H335 Specific concentration limit: STOT SE 3;H335: C ≥ 5 %	≥0.1-<0.25%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5	reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3- one [EC no. 220-239- 6] (3:1) ☠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.0015-<0.0025%

(Contd. on page 3)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.05.2024

Version number 1

Revision: 22.12.2021

Trade name: weberprim BT-MAX

(Contd. of page 2)

SVHC Void

**Additional information** For the wording of the listed hazard statements refer to section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information

Immediately remove any clothing soiled by the product.

Never administer anything by mouth to an unconscious person.

If unconscious, place the patient in a stable side position and consult a doctor

##### After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air and to be sure call for a doctor.

##### After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

##### After eye contact

Rinse immediately and abundantly with water. Seek medical attention, if pain or redness persists.

Remove contact lenses, if possible. Continue rinsing

**After swallowing** Rinse mouth. DO NOT induce vomiting. If symptoms persist consult a doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing agents

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

#### 5.3 Advice for firefighters

**Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures** Not required.

#### 6.2 Environmental precautions:

Do not drain into drains or public waters. Alert the relevant authorities if the liquid enters a sewer or open water enters.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

(Contd. on page 4)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.05.2024

Version number 1

Revision: 22.12.2021

**Trade name: weberprim BT-MAX**

(Contd. of page 3)

**6.4 Reference to other sections**

See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.

**Information about fire - and explosion protection:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:** None.

**7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

DNELs		
<b>CAS: 1317-65-3 calcium carbonate</b>		
Oral	Derived No Effect Level	6.1 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	6.36 mg/m <sup>3</sup> (worker local long term value) 1.06 mg/m <sup>3</sup> (consumer local long term value)
<b>CAS: 107-21-1 ethane-1,2-diol</b>		
Dermal	Derived No Effect Level	106 mg/kgxday (worker systemic long term value) 53 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	35 mg/m <sup>3</sup> (worker local long term value) 7 mg/m <sup>3</sup> (consumer local long term value)
<b>CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)</b>		
Oral	Derived No Effect Level	0.09 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	0.02 mg/m <sup>3</sup> (worker local long term value) 0.02 mg/m <sup>3</sup> (consumer local long term value)
PNECs		
<b>CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)</b>		
Predicted No-Effect Concentration		0.01 mg/kgxdwt (earth rating factor)

(Contd. on page 5)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.05.2024

Version number 1

Revision: 22.12.2021

Trade name: weberprim BT-MAX

(Contd. of page 4)

Predicted No-Effect Concentration	0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor)
<b>CAS No. / Designation of material / % / Type / Value / Unit</b>	
<b>CAS: 1317-65-3 calcium carbonate</b>	
TWA (Italy)	Long-term value: 10 mg/m <sup>3</sup> (e)
<b>CAS: 107-21-1 ethane-1,2-diol</b>	
IOELV (European Union)	Short-term value: 104 mg/m <sup>3</sup> , 40 ppm Long-term value: 52 mg/m <sup>3</sup> , 20 ppm Skin
AGW (Germany)	Long-term value: 26 mg/m <sup>3</sup> , 10 ppm 2(I);DFG, EU, H, Y, 11
GV (Denmark)	Short-term value: 104 20* mg/m <sup>3</sup> , 40 ppm Long-term value: 26 10* mg/m <sup>3</sup> , 10 ppm EH; *forstøvet
LEP (Spain)	Short-term value: 104 mg/m <sup>3</sup> , 40 ppm Long-term value: 52 mg/m <sup>3</sup> , 20 ppm vía dérmica, VLI
TWA (Italy)	Ceiling limit: 100 mg/m <sup>3</sup> A4 (aerosol)
VL (Italy)	Short-term value: 104 mg/m <sup>3</sup> , 40 ppm Long-term value: 52 mg/m <sup>3</sup> , 20 ppm Cute
VLE (Portugal)	Ceiling limit: (100) mg/m <sup>3</sup> apenas aerossol, A4; Irritação ocular, do TRS
OEL (Sweden)	Short-term value: 104 mg/m <sup>3</sup> , 40 ppm Long-term value: 25 mg/m <sup>3</sup> , 10 ppm H
HTP (Finland)	Short-term value: 100 mg/m <sup>3</sup> , 40 ppm Long-term value: 50 mg/m <sup>3</sup> , 20 ppm iho
<b>CAS: 1336-21-6 ammonia, aqueous solution</b>	
AGW (Germany)	Long-term value: 14 mg/m <sup>3</sup> , 20 ppm 2(I);DFG, EU, Y
HTP (Finland)	Short-term value: 36 mg/m <sup>3</sup> , 50 ppm Long-term value: 14 mg/m <sup>3</sup> , 20 ppm
<b>CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)</b>	
MAK (Germany)	Long-term value: 0.2E mg/m <sup>3</sup> vgl.Abschn.Xc

**8.2 Exposure controls****Appropriate engineering controls** No further data; see section 7.

(Contd. on page 6)

EUG

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.05.2024

Version number 1

Revision: 22.12.2021

**Trade name: weberprim BT-MAX**

(Contd. of page 5)

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Use a moisturising skin cream after processing the product.

**Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

**Hand protection** Protective gloves.

**Eye/face protection** Goggles recommended during refilling

**Body protection:** Protective work clothing.

### SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties**

**General Information**

**Physical state**

Fluid

**Colour:**

Colourless

**Odour:**

Odourless

**Odour threshold:**

Not determined.

**Melting point/freezing point:**

Undetermined.

**Boiling point or initial boiling point and boiling range**

100 °C (DIN, CAS: 7732-18-5 water)

**Flammability**

Not applicable.

**Lower and upper explosion limit**

**Lower:**

3.2 Vol % (DIN 51649, CAS: 107-21-1 ethane-1,2-diol)

**Upper:**

53 Vol % (DIN 51649, CAS: 107-21-1 ethane-1,2-diol)

**Flash point:**

Not applicable

**Auto-ignition temperature:**

Not determined.

**Decomposition temperature:**

Not determined.

**pH**

Mixture reacts violently with water.

**Viscosity:**

**Kinematic viscosity**

Not determined.

**dynamic:**

Not determined.

**Solubility**

**Water:**

Fully miscible

**Partition coefficient n-octanol/water (log value)**

Not determined.

**Vapour pressure:**

Not determined.

**Density and/or relative density**

**Density:**

Not determined

**Relative density**

Not determined.

**Bulk density:**

Not applicable.

(Contd. on page 7)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.05.2024

Version number 1

Revision: 22.12.2021

Trade name: weberprim BT-MAX

(Contd. of page 6)

**Vapour density** Not determined.

**9.2 Other information**

**Appearance:**

**Form:** Liquid

**Important information on protection of health and environment, and on safety.**

**Ignition temperature:** Product is not self-igniting.

**Explosive properties:** Product does not present an explosion hazard.

**Minimum ignition energy**

**Solvent separation test:** Not applicable.

**Solvent content:**

**Organic solvents:** 1.5 %

**Water:** 15.2 %

**EU-VOC (%):** 1.0000 %

**EU-VOC (g/L):** 10.0000 g/l

**Solids content:** 68.2 %

**Change in condition**

**Softening point/range**

**Oxidising properties** Not determined.

**Evaporation rate** Not determined.

**Information with regard to physical hazard classes**

**Explosives** Void

**Flammable gases** Void

**Aerosols** Void

**Oxidising gases** Void

**Gases under pressure** Void

**Flammable liquids** Void

**Flammable solids** Void

**Self-reactive substances and mixtures** Void

**Pyrophoric liquids** Void

**Pyrophoric solids** Void

**Self-heating substances and mixtures** Void

**Substances and mixtures, which emit flammable gases in contact with water** Void

**Oxidising liquids** Void

**Oxidising solids** Void

**Organic peroxides** Void

**Corrosive to metals** Void

**Desensitised explosives** Void

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability** Stable at recommended storage conditions

(Contd. on page 8)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.05.2024

Version number 1

Revision: 22.12.2021

**Trade name: weberprim BT-MAX**

(Contd. of page 7)

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
<b>CAS: 1317-65-3 calcium carbonate</b>			
Oral	LD50	>2,000 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rat)
<b>CAS: 107-21-1 ethane-1,2-diol</b>			
Oral	LD50	7,712 mg/kg	(Rat)
Dermal	LD50	>3,500 mg/kg	(Mouse)
		9,530 mg/kg	(Rabbit)
<b>CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)</b>			
Oral	LD50	457 mg/kg	(Rat)
Dermal	LD50	660 mg/kg	(Rabbit)
Inhalative	LC50/4 h	2.36 mg/l	(Rat)

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** May cause an allergic skin reaction.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**CAS: 107-21-1 ethane-1,2-diol**

Dermal	OECD 410 Repeated Dose Dermal Toxicity: 21/28-Day	2,200 mg/kg bw/day (Dog)
--------	---	--------------------------

**Aspiration hazard** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

None of the ingredients is listed.

EUG

(Contd. on page 9)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.05.2024

Version number 1

Revision: 22.12.2021

**Trade name: weberprim BT-MAX**

(Contd. of page 8)

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:** Not classified as harmful to aquatic life

**Type of test / Effective concentration / Method / Assessment**

**CAS: 1317-65-3 calcium carbonate**

LC50/96h	>100 mg/l (Fish)
EC50/48h	>100 mg/l (aquatic invertebrates)
EC50/72h	>14 mg/l (aquatic algae and cyanobacteria)

**CAS: 107-21-1 ethane-1,2-diol**

LC50/96h	72,860 mg/l (Fish)
EC50/48h	>100 mg/l (aquatic invertebrates)
NOEC (72h)	100 mg/l (aquatic algae and cyanobacteria)
NOEC (28d)	40 mg/l (Fish)
EC 0/48h	100 mg /l (aquatic invertebrates)

**CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)**

LC50/48h	0.18 mg/l (Daphnia magna)
LC50/96h	0.282 mg/l (Daphnia magna)
	0.19-0.3 mg/l (Fish)
EC50/24h	0.109 mg/l (Daphnia magna)
	0.0107 mg/l (aquatic algae and cyanobacteria)
EC50/48h	0.16 mg/l (Daphnia magna)
	0.0181-0.0371 mg/l (aquatic algae and cyanobacteria)
EC50/96h	0.0357 mg/l (aquatic algae and cyanobacteria)
EC50/72h	0.0063-0.0273 mg/l (aquatic algae and cyanobacteria)
NOEC (14d)	0.035 mg/l (Daphnia magna)
NOEC (21d)	0.011-1.05 mg/l (Daphnia magna)
NOEC (28d)	0.098 mg/l (Fish)

**12.2 Persistence and degradability** No further relevant information available.

**Method**

**CAS: 1317-65-3 calcium carbonate**

Biod. (28 days) >90 %

**CAS: 107-21-1 ethane-1,2-diol**

Biod. (28 days) >90 % (Biodegradation)

**12.3 Bioaccumulative potential**

**CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)**

EBAB 0.75 log Pow

**12.4 Mobility in soil** No further relevant information available.

(Contd. on page 10)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.05.2024

Version number 1

Revision: 22.12.2021

**Trade name: weberprim BT-MAX**

(Contd. of page 9)

**12.5 Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects**

**Behaviour in sewage processing plants:**

Type of test / Effective concentration / Method / Assessment	
<b>CAS: 1317-65-3 calcium carbonate</b>	
EC 50 (3h)	>1,000 mg/l (microorganisms)
<b>CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)</b>	
EC 50 (3h)	4.5 mg/l (microorganisms)

**Additional ecological information:**

**General notes:** Do not allow product to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

**13.1 Waste treatment methods**

**European waste catalogue**

Possible waste code. The concrete waste code depends on the source of the waste.

**Uncleaned packaging:**

**Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

**Recommended cleaning agent:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

<b>14.1 UN number or ID number</b> ADR, IMDG, IATA	Void
<b>14.2 UN proper shipping name</b> ADR, IMDG, IATA	Void
<b>14.3 Transport hazard class(es)</b> ADR, ADN, IMDG, IATA Class	Void
<b>14.4 Packing group</b> ADR, IMDG, IATA	Void
<b>14.5 Environmental hazards:</b>	Not applicable.

(Contd. on page 11)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.05.2024

Version number 1

Revision: 22.12.2021

**Trade name: weberprim BT-MAX**

(Contd. of page 10)

**14.6 Special precautions for user** Not applicable.

**14.7 Maritime transport in bulk according to IMO instruments** Not applicable.

**UN "Model Regulation":** Void

### SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

**Labelling according to Regulation (EC) No 1272/2008** cf. section 2

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148**

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**Relevant phrases**

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU)

(Contd. on page 12)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.05.2024

Version number 1

Revision: 22.12.2021

**Trade name: weberprim BT-MAX**

(Contd. of page 11)

2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

### Classification according to Regulation (EC) No 1272/2008

Skin sensitisation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
--------------------	--

**Department issuing SDS:** Research and development

**Contact:**

Necati Utku Erol  
(Sertifika No: TÜV/01.336.07 - Validity date 31.12.2023)

Barış Yıldırım  
(Sertifika No: TÜV/01.275.01 - Validity date 25.03.2024)

Sesil Genç  
(Sertifika No: TÜV/01.311.11 – Validity date 04.11.2024)

**Abbreviations and acronyms:**

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
- ICAO: International Civil Aviation Organisation
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern (REACH regulation)
- vPvB: very Persistent and very Bioaccumulative
- Acute Tox. 3: Acute toxicity – Category 3
- Acute Tox. 4: Acute toxicity – Category 4
- Acute Tox. 2: Acute toxicity – Category 2
- Skin Corr. 1B: Skin corrosion/irritation – Category 1B
- Skin Corr. 1C: Skin corrosion/irritation – Category 1C
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. on page 13)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.05.2024

Version number 1

Revision: 22.12.2021

**Trade name: weberprim BT-MAX**

(Contd. of page 12)

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

**\* Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG



This document was created with the Win2PDF "print to PDF" printer available at <http://www.win2pdf.com>

This version of Win2PDF 10 is for evaluation and non-commercial use only.

This page will not be added after purchasing Win2PDF.

<http://www.win2pdf.com/purchase/>