

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as
amended by Regulation (EU) 2020/878.

Printing date 11.06.2025

Version number 1

Revision: 21.01.2022

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

1.1 Product identifier

Trade name: weber.dry 706 plus, Component A

Safety data sheet no.: XXP014956-a

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Bitumen coating

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Weber Yapı Kim. San. ve Tic. A.S.
Kemalpaşa OSB Mah. Kuyucak Yolu Sokak No:284
35730 Kemalpaşa / Izmir
TURKEY

Tel: +90 232 397 07 00

Fax: +90 232 397 08 00

1.4 Emergency telephone number:

Tel: +90 232 397 07 13-07 84

National Poison Information Center (UZEM): 114

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard-determining components of labelling:

2-methyl-2H-isothiazol-3-one

1,2-benzisothiazol-3(2H)-one

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

(Contd. on page 2)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 11.06.2025

Version number 1

Revision: 21.01.2022

Trade name: weber.dry 706 plus, Component A

(Contd. of page 1)

- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P362 Take off contaminated clothing.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:

CAS: 8052-42-4 EINECS: 232-490-9 Reg.nr.: 01-2119480172-44-xxxx	Asphalt ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319 substance with a Community workplace exposure limit	50-75%
CAS: 2682-20-4 EINECS: 220-239-6 Index number: 613-326-00-9 Reg.nr.: 01-2120764690-50-xxxx	2-methyl-2H-isothiazol-3-one ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ⚠ Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A;H317: C ≥ 0.0015 % substance with a Community workplace exposure limit	≥0.0015-<0.025%

(Contd. on page 3)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 11.06.2025

Version number 1

Revision: 21.01.2022

Trade name: weber.dry 706 plus, Component A

		(Contd. of page 2)
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one ⚠ Acute Tox. 2, H330; ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1A, H317 ATE: LD50 oral: 450 mg/kg LC50/4 h inhalative: 0.21 mg/l Specific concentration limit: Skin Sens. 1A;H317: C ≥ 0.036 % substance with a Community workplace exposure limit	<0.025%
CAS: 13463-41-7 EINECS: 236-671-3 Index number: 613-333-00-7 Reg.nr.: 01-2119511196-46-xxxx	pyriithione zinc ⚠ Acute Tox. 3, H301; Acute Tox. 2, H330; ⚠ Repr. 1B, H360D; STOT RE 1, H372; ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=10) ATE: LD50 oral: 221 mg/kg LC50/4 h inhalative: 0.14 mg/l substance with a Community workplace exposure limit	≥0.0025-<0.025%

SVHC Void

Additional information For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Never administer anything by mouth to an unconscious person.
 If unconscious, place the patient in a stable side position and consult a doctor
 Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately rinse with water.
 Do not use solvents or thinners.
 If skin irritation continues, consult a doctor.

After eye contact

Rinse immediately and abundantly with water. Seek medical attention, if pain or redness persists.
 Remove contact lenses, if possible. Continue rinsing
 Seek immediate medical advice.

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

EUG

(Contd. on page 4)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as
amended by Regulation (EU) 2020/878.

Printing date 11.06.2025

Version number 1

Revision: 21.01.2022

Trade name: weber.dry 706 plus, Component A

(Contd. of page 3)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Foam

Fire-extinguishing powder

Water spray

Sand

For safety reasons unsuitable extinguishing agents Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide (CO)

Hydrogen sulfide (H₂S)

Sulphur dioxide (SO₂)

Carbon dioxide (CO₂)

5.3 Advice for firefighters

Protective equipment:

Use methods suitable to surrounding conditions.

Wear fully protective suit.

Mouth respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Prevent seepage into sewage system, workpits and cellars.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

(Contd. on page 5)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as
amended by Regulation (EU) 2020/878.

Printing date 11.06.2025

Version number 1

Revision: 21.01.2022

Trade name: weber.dry 706 plus, Component A

(Contd. of page 4)

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs

CAS: 8052-42-4 Asphalt

Inhalative	Derived No Effect Level	2.88 mg/m ³ (worker local long term value) 0.61 mg/m ³ (consumer local long term value)
------------	-------------------------	------------------------------------------------------------------------------------------------------------------

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

Oral	Derived No Effect Level	0.027 mg/kgxday (consumer local long term value)
Inhalative	Derived No Effect Level	0.043 mg/m ³ (worker local short term value)
		0.021 mg/m ³ (worker local long term value)
		0.021 mg/m ³ (consumer local long term value)
		0.043 mg/m ³ (consumer local short term value)

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

Dermal	Derived No Effect Level	0.966 mg/kgxday (worker systemic long term value)
		0.345 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	6.81 mg/m ³ (worker systemic long term value)
		1.2 mg/m ³ (consumer systemic long term value)

PNECs

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

Predicted No-Effect Concentration	0.0471 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.00339 mg/l (sea water rating factor)
	0.00339 mg/l (fresh water rating factor)

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

Predicted No-Effect Concentration	3 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.000403 mg/l (sea water rating factor)
	0.00403 mg/l (fresh water rating factor)

CAS No. / Designation of material / % / Type / Value / Unit

CAS: 8052-42-4 Asphalt

MAK (Germany)	Long-term value: 1.5 mg/m ³ Dampf und Aerosol
GV (Denmark)	Long-term value: 1 mg/m ³
LEP (Spain)	Long-term value: 0.5 mg/m ³ aerosoles solubles en benceno

(Contd. on page 6)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as
amended by Regulation (EU) 2020/878.

Printing date 11.06.2025

Version number 1

Revision: 21.01.2022

Trade name: weber.dry 706 plus, Component A

(Contd. of page 5)

TWA (Italy)	Long-term value: 0.5 mg/m ³ A4 , IBEp, (i)
VLE (Portugal)	Long-term value: 0.5 mg/m ³ Fracção inal.; A4, IBEp; Irritação ocular e do TRS
CAS: 1302-78-9 Bentonite	
MAK (Germany)	vgl. Abschn. IIb
CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one	
MAK (Germany)	vgl. Abschn. IIb und Xc
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one	
MAK (Germany)	vgl. Abschn. IIb und Xc
CAS: 13463-41-7 pyrithione zinc	
MAK (Germany)	vgl. Abschn. IIb

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device only when aerosol or mist is formed.

Hand protection Protective gloves.

Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

Eye/face protection Safety glasses.

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Liquid

Colour:

Dark

Odour:

Characteristic

Odour threshold:

Not determined.

Melting point/freezing point:

Undetermined.

Boiling point or initial boiling point and boiling range

Undetermined.

Flammability

Not applicable.

(Contd. on page 7)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as
amended by Regulation (EU) 2020/878.

Printing date 11.06.2025

Version number 1

Revision: 21.01.2022

Trade name: weber.dry 706 plus, Component A

(Contd. of page 6)

Lower and upper explosion limit

Lower:	Not applicable
Upper:	Not applicable
Flash point:	Not applicable
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Not miscible or difficult to mix
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined
Relative density	Not determined.
Bulk density:	Not applicable.
Vapour density	Not determined.

9.2 Other information

Appearance:	None.
Form:	Liquid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Minimum ignition energy	
Solvent separation test:	Not determined
Change in condition	
Softening point/range	
Oxidising properties	Not determined.
Evaporation rate	Not determined.

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void

(Contd. on page 8)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 11.06.2025

Version number 1

Revision: 21.01.2022

Trade name: weber.dry 706 plus, Component A

(Contd. of page 7)

Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

Possible in traces.

Hydrogen sulphide

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	Type	Value	Species
CAS: 8052-42-4 Asphalt			
Oral	LD50	>5,000 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rabbit)
CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one			
Oral	LD50	120 mg/kg	(Rat)
Dermal	LD50	242 mg/kg	(Rat)
Inhalative	LC50/4 h	0.34 mg/l	(Rat)
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one			
Oral	LD50	450 mg/kg	(ATE)
Dermal	LD50	>2,000 mg/kg	(Rat)
CAS: 13463-41-7 pyrithione zinc			
Oral	LD50	221 mg/kg	(ATE)
Dermal	LD50	2,100 mg/kg	(Rat)
Inhalative	LC50/4 h	0.14 mg/l	(ATE)

Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

(Contd. on page 9)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as
amended by Regulation (EU) 2020/878.

Printing date 11.06.2025

Version number 1

Revision: 21.01.2022

Trade name: weber.dry 706 plus, Component A

(Contd. of page 8)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test / Effective concentration / Method / Assessment

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

LC50/48h 0.934 mg/l (aquatic invertebrates)

6.2 mg/l (Fish)

LC50/24h 7.3 mg/l (Fish)

LC50/96h 1.81 mg/l (aquatic invertebrates)

4.77 mg/l (Fish)

EC50/24h 0.445 mg/l (aquatic algae and cyanobacteria)

1.7 mg/l (aquatic invertebrates)

EC50/48h 1.6 mg/l (aquatic invertebrates)

EC50/96h 0.0725 mg/l (aquatic algae and cyanobacteria)

NOEC (21d) 0.042 mg/l (aquatic invertebrates)

EC 10/16h 1 mg/l (microorganisms)

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

LC50/96h 2.15-22 mg/l (Fish)

EC50/48h 2.9 mg/l (aquatic invertebrates)

EC50/72h 0.07-0.15 mg/l (aquatic algae and cyanobacteria)

NOEC (72h) 0.0403-0.055 mg/l (aquatic algae and cyanobacteria)

CAS: 13463-41-7 pyrithione zinc

EC50/48h 0.0082 mg/l (aquatic invertebrates)

EC50/96h 0.0013 mg/l (aquatic algae and cyanobacteria)

0.0063 mg/l (aquatic invertebrates)

NOEC (96h) 0.00046 mg/l (aquatic algae and cyanobacteria)

12.2 Persistence and degradability No further relevant information available.

Method

CAS: 13463-41-7 pyrithione zinc

Biod. (28 days) 39 %

(Contd. on page 10)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as
amended by Regulation (EU) 2020/878.

Printing date 11.06.2025

Version number 1

Revision: 21.01.2022

Trade name: weber.dry 706 plus, Component A

(Contd. of page 9)

12.3 Bioaccumulative potential

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EBAB | 0.7 log Pow

CAS: 13463-41-7 pyrithione zinc

EBAB | 0.9 log Pow

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

EC 50 (3h) | 41 mg/l (microorganisms)

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EC 50 (3h) | 12.8-24 mg/l (microorganisms)

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Dispose of the product in accordance with national and local regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

17 03 02 | bituminous mixtures other than those mentioned in 17 03 01

HP4 | Irritant - skin irritation and eye damage

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, ADN, IMDG, IATA

Void

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA

Void

(Contd. on page 11)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended by Regulation (EU) 2020/878.

Printing date 11.06.2025

Version number 1

Revision: 21.01.2022

Trade name: weber.dry 706 plus, Component A

(Contd. of page 10)

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA
Class

Void

14.4 Packing group ADR, IMDG, IATA

Void

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Transport/Additional information:

Not dangerous according to the above specifications.

UN "Model Regulation":

Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Directive 2004/42/EC (VOC), cf. section 9

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EU) 2017/852 on mercury (Annex I)

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 12)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as
amended by Regulation (EU) 2020/878.

Printing date 11.06.2025

Version number 1

Revision: 21.01.2022

Trade name: weber.dry 706 plus, Component A

(Contd. of page 11)

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

National regulations

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H360D May damage the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation Serious eye damage/irritation Skin sensitisation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
----------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

Department issuing SDS: Research and development

Contact:

Bariş Yıldırım
(Sertifika No: TÜV/11.216.01 - Geçerlilik tarihi 19.10.2028)

Necati Utku Erol
(Sertifika No: TÜV/11.216.11 - Geçerlilik tarihi 19.10.2028)

(Contd. on page 13)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as
amended by Regulation (EU) 2020/878.

Printing date 11.06.2025

Version number 1

Revision: 21.01.2022

Trade name: weber.dry 706 plus, Component A

(Contd. of page 12)

Sesil Genç
(Sertifika No: TÜV/11.216.13 - Geçerlilik tarihi 19.10.2028)

Cerem Pişkin
(Sertifika No: TÜV/13.85.02 - Geçerlilik tarihi 12.10.2028)

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Repr. 1B: Reproductive toxicity – Category 1B

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

*** Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.



This document was created with the Win2PDF "print to PDF" printer available at <http://www.win2pdf.com>

This version of Win2PDF 10 is for evaluation and non-commercial use only.

This page will not be added after purchasing Win2PDF.

<http://www.win2pdf.com/purchase/>