

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.08.2025

Version number 1

Revision: 21.04.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: weberkol XL performance

Safety data sheet no.: XXP016907

1.2 Relevant identified uses of the substance or mixture and uses advised against

The product is intended for professional or consumer use.

Application of the substance / the mixture Tile adhesive

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Weber Yapı Kim. San. ve Tic. A.S.
Kemalpaşa OSB Mah. Kuyucak Yolu Sokak No:284
35730 Kemalpaşa / Izmir
TURKEY

Tel: +90 232 397 07 00

Fax: +90 232 397 08 00

1.4 Emergency telephone number:

Tel: +90 232 397 07 13-07 84

National Poison Information Center (UZEM): 114

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

EUG

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.08.2025

Version number 1

Revision: 21.04.2022

Trade name: weberkol XL performance

(Contd. of page 1)

Hazard pictograms



GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

Cement, portland, chemicals

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Safety data sheet available on request.

This Safety Data Sheet is provided by the supplier on a voluntary basis according to the Article 32 of the Regulation (EC) No 1907/2006 (REACH).

2.3 Other hazards

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description:

Mixture of substances listed below with non hazardous additions.

Mixture of substances without any hazardous components

Dangerous components:

CAS: 1317-65-3	calcium carbonate	25-50%
EINECS: 215-279-6	substance with a Community workplace exposure limit	
Reg.nr.: 01-2119486795-18-xxxx		

(Contd. on page 3)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.08.2025

Version number 1

Revision: 21.04.2022

Trade name: weberkol XL performance

(Contd. of page 2)		
CAS: 65997-15-1 EINECS: 266-043-4	Cement, portland, chemicals ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; Skin Sens. 1B, H317; STOT SE 3, H335, EUH203 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 1 % Eye Dam. 1; H318: C ≥ 1 % substance with a Community workplace exposure limit	25-50%
CAS: 14808-60-7 EINECS: 238-878-4	Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit	10-25%

SVHC Void

Additional information For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

No special measures required.

Never administer anything by mouth to an unconscious person.

If unconscious, place the patient in a stable side position and consult a doctor

After inhalation In case of unconsciousness place patient stably in side position for transportation.

After skin contact Generally the product does not irritate the skin.

After eye contact

Rinse immediately and abundantly with water. Seek medical attention, if pain or redness persists.

Remove contact lenses, if possible. Continue rinsing

After swallowing Rinse mouth. DO NOT induce vomiting. If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

This powder (wet or dry) may cause irritation or potentially irreversible serious injury on contact with the eyes. Prolonged contact with moist skin (due to e.g. sweat or humidity) can cause skin irritation.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents The product is not combustible.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Use methods suitable to surrounding conditions.

Wear fully protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Ensure adequate ventilation.

(Contd. on page 4)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.08.2025

Version number 1

Revision: 21.04.2022

Trade name: weberkol XL performance

(Contd. of page 3)

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up: Pick up mechanically.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures required.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs		
CAS: 1317-65-3 calcium carbonate		
Oral	Derived No Effect Level	6.1 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	6.36 mg/m ³ (worker local long term value)
		1.06 mg/m ³ (consumer local long term value)
CAS No. / Designation of material / % / Type / Value / Unit		
CAS: 1317-65-3 calcium carbonate		
TWA (Italy)	Long-term value: 10 mg/m ³ (e)	
CAS: 65997-15-1 Cement, portland, chemicals		
AGW (Germany)	Long-term value: 5 E mg/m ³ DFG	
LEP (Spain)	Long-term value: 4 mg/m ³ fracción respirable: e, d	

(Contd. on page 5)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.08.2025

Version number 1

Revision: 21.04.2022

Trade name: weberkol XL performance

(Contd. of page 4)

TWA (Italy)	Long-term value: 1 mg/m ³ (e, j), A4
VLE (Portugal)	Long-term value: 1 mg/m ³ Fração resp.;A4,função pulm.,sintomas resp.,asma
HTP (Finland)	Long-term value: 5* 1** mg/m ³ *hengittyvä pöly, **alveolijae
CAS: 14808-60-7 Silicon dioxide (Quartz sand)	
BOELV (European Union)	Long-term value: 0.1* mg/m ³ *respirable fraction
MAK (Germany)	Short-term value: 0.4 mg/m ³ Long-term value: 0.05 mg/m ³ alveolengängige Fraktion
GV (Denmark)	Short-term value: 0.6* 0.2** mg/m ³ Long-term value: 0.3* 0.1** mg/m ³ *total; **total, respirabel: EK
LEP (Spain)	Long-term value: 0.05 mg/m ³ *Fracción resp:n,d,y
TWA (Italy)	Long-term value: 0.025 mg/m ³ A2, (j)
VLE (Portugal)	Long-term value: 0.025 mg/m ³ Resp.;A2; fibrose pulmonar; cancro do pulmão
OEL (Sweden)	Long-term value: 0.1 mg/m ³ C, M, respirabel fraktion
HTP (Finland)	Long-term value: 0.05 0.1* mg/m ³ alveolijae;*sitova arvo 113/24, pöly

Additional Occupational Exposure Limit Values for possible hazards during processing:Total inhalable dust: 10 mg/m³; Respirable dust: 1 mg/m³UK and Ireland: Total inhalable dust: 10 mg/m³; Respirable dust: 4 mg/m³

Quartz respirable dust:

European Union: 0,1mg/m³UK: 0,1 mg/m³Ireland: 0,1 mg/m³**Additional information:**

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls**Appropriate engineering controls** No further data; see section 7.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the skin.

Respiratory protection:

Short term filter device:

Filter P2.

Hand protection Not required.**Material of gloves** Nitrile impregnated cotton gloves complying with the standard EN 374-1.

(Contd. on page 6)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.08.2025

Version number 1

Revision: 21.04.2022

Trade name: weberkol XL performance

(Contd. of page 5)

Eye/face protection Not required.
Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Solid.
Colour:	Grey
Odour:	Odourless
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	2,230 °C (DIN, CAS: 14808-60-7 Silicon dioxide (Quartz sand))
Flammability	Product is not flammable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
pH	Not applicable
	Mixture reacts violently with water.
Viscosity:	
Kinematic viscosity	Not applicable.
dynamic:	Not applicable.
Solubility	
Water:	Hardens when in contact with water.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 1732 °C:	13.5 hPa (DIN 51640, CAS: 14808-60-7 Silicon dioxide (Quartz sand))
	Not applicable.
Density and/or relative density	
Density:	Not applicable.
Relative density	Not determined.
Vapour density	Not applicable.
Particle characteristics	See section 3.

9.2 Other information

Appearance:	
Form:	Powder
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
EU-VOC (%)	0.0000 %

(Contd. on page 7)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.08.2025

Version number 1

Revision: 21.04.2022

Trade name: weberkol XL performance

(Contd. of page 6)

EU-VOC (g/L)	0.0000 g/l
Solids content:	100.0 %
Change in condition	
Softening point/range	
Oxidising properties	Not determined.
Evaporation rate	Not applicable.

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity Not reactive under normal conditions of use

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions Reacts with acids

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 8)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.08.2025

Version number 1

Revision: 21.04.2022

Trade name: weberkol XL performance

(Contd. of page 7)

LD/LC50 values relevant for classification:

Components	Type	Value	Species
CAS: 1317-65-3 calcium carbonate			
Oral	LD50	>2,000 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rat)
CAS: 65997-15-1 Cement, portland, chemicals			
Dermal	LD50	>2,000 mg/kg	(Rabbit)

Primary irritant effect:

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test / Effective concentration / Method / Assessment
CAS: 1317-65-3 calcium carbonate
LC50/96h >100 mg/l (Fish)
EC50/48h >100 mg/l (aquatic invertebrates)
EC50/72h >14 mg/l (aquatic algae and cyanobacteria)

12.2 Persistence and degradability No further relevant information available.

Method
CAS: 1317-65-3 calcium carbonate
Biod. (28 days) >90 %

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 9)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.08.2025

Version number 1

Revision: 21.04.2022

Trade name: weberkol XL performance

(Contd. of page 8)

12.7 Other adverse effects

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 1317-65-3 calcium carbonate

EC 50 (3h) >1,000 mg/l (microorganisms)

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Dispose of the product in accordance with national and local regulations.

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish.

Possible waste code 17 09 04.

Smaller quantities can be disposed of with household waste.

European waste catalogue

10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10
10 13 14	waste concrete and concrete sludge
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP13	Sensitising

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings may be recycled.

Recommended cleaning agent:

Water, if necessary together with cleansing agents.

Thoroughly shake out sacks.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA	Void
-----------------	------

14.2 UN proper shipping name

ADR, IMDG, IATA	Void
-----------------	------

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA Class	Void
-------------------------------	------

(Contd. on page 10)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 19.08.2025

Version number 1

Revision: 21.04.2022

Trade name: weberkol XL performance

(Contd. of page 9)

14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)
 Regulation (EC) No 1272/2008 (CLP)
 Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)
Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EU) 2017/852 on mercury (Annex I)

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII Entry no. 47 Chromium VI compounds)
 Conditions of restriction: 47

Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 11)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 19.08.2025

Version number 1

Revision: 21.04.2022

Trade name: weberkol XL performance

(Contd. of page 10)

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- EUH203 Contains chromium (VI). May produce an allergic reaction.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation Serious eye damage/irritation Skin sensitisation Specific target organ toxicity (single exposure)	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
--	--

Department issuing SDS: Research and development

Contact:

Bariş Yıldırım
 (Sertifika No: TÜV/11.216.01 - Geçerlilik tarihi 19.10.2028)

Necati Utku Erol
 (Sertifika No: TÜV/11.216.11 - Geçerlilik tarihi 19.10.2028)

Sesil Genç
 (Sertifika No: TÜV/11.216.13 - Geçerlilik tarihi 19.10.2028)

Cerem Pişkin
 (Sertifika No: TÜV/13.85.02 - Geçerlilik tarihi 12.10.2028)

(Contd. on page 12)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 19.08.2025

Version number 1

Revision: 21.04.2022

Trade name: weberkol XL performance

(Contd. of page 11)

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

*** Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG